

## SPRAY PUTTY SOLL (S700023)

Page 1/1

## **Product information**

application:	car; ensures a pore-free surface. Clean and sand down surface, remove any rust.
	Apply a first coat of anti-corrosion primer. Shake can well for 2 minutes. Test spray to
	check compatibility and colour tone. Spraying distance approx. 25 cm. When filler is
	thoroughly dry, sand down with a wet paper grain 600. Do not spray on surfaces
	coated with synthetic resins as the paint may lift.
Product benefits:	Easy running.
	High level of solid matter.
	Very economic.
	Rapid tack-drying.
	Good drying properties.
	Free of heavy metals: no lead, cadmium, chrome.
Binding agent base:	Nitro combination resin.
	For 2 cross-coats: 40-50 µm.
Spraying coating:	For 2 cross-coats. 40-50 μm.
Drying times:	Dust dry: after 5-10 min.
1	Fast to handling: after 30-40 min.
	Dry hard: after approx. 24 hours.
Can be painted over:	With itself: at any time.
Ballata atmost	Anti-corrosion primer or zinc chromate primer.
Paints structure:	2. Filler spray.
	3. Top coat.
Starono	Protect from sunlight and do not expose to temperature exceeding +50°C. We
Storage:	guarantee shelf life and quality of the product not less than 3 years.
Packaging:	400 ml
Colour:	Grey